
CD86 (MFI)

nseclar delen

PBMCs were incubated for 2 days with 0.15 ug/mL of the indicated oligos. Graph is CD86 (MFI) of CD19+ cells.




Deskriptive					1 m 1	Markenson	≠ fehicnd
	Mittelw.	Std.abw.	Std.fohler	Anzahl	Minimon	Maximum	
o1758	46.70	•		1	46,70	46.70	3
01812	20.70	.14	.10	2	20.60	20.80	2
02006	23,60	.14	.10	2	23.50	23.70	2
02117	22.10	0.00	0.00	2	22.10	22.10	2
. 02137	29.75	1.48	1.05	2	28.70	30.80	2
o2178	20.00	.71	.50	2	19.50	20.50	2
02182	27.15	.35	.25	2	Z4.30	29.40	2
o2183	26,35	2.90	2.05	2	20.50	22.50	- 2
02177	21.55	1.77	1.25	2	21.50	23.60	2
02143	22.55	1.48	1.05		19.50	21.60	2
02116	20.55	1.48	1.05	2	26.50	27.30	2
02181	26.90	.57	.40	2		23.00	2
02180	26.75	1.77	1.25	2	25_50		2
o2179	29.10	1.98	1.40	2	27.70	30.50	2
02133	28.80	.99	.70	2	28.10	23.50	
o 1965	31.05	.97	.65	2	30.40	31.70	2
01968	22.95	1.20	.85	2	22.10	23.80	2
o21 <b>5</b> 9	26,55	4.88	3.45	2	23.10	30.00	2
02140	40.85	2,47	1.75	2	39.10	42.60	2
02141	31.30	3.11	2.20	2	29.10	33.50	2
02142	22.10	1.13	.80	2	21.33	22.90	2
01840	24.45	.07	.05	2	24,40	24.50	2
o1979	57.65	.49	.35	2	57.30	55.00	2
o2186	20.85	.35	.25	2	C3.0S	21.10	2
o2187	21.15	.07	.05		21.19	21.20	2
o2188	20.70	.14	.10	2	20.60	20,80	2
02189	19,45	.07	.05	2	19.40	19.50	
o2190	21.85	2.47	1.75	2	20.10	23.60	. 2
02191	21.40	3.25	2.30	2	19.10	23.70	Z
o2192	19.50	.14	.10	2	19,40	19.60	2
oZ193	20.65	.21	.15	21	20.50	20.50	2
	23,50	1.70	1.20	2	22.30	24.70	2
02194	23.00	.85	.60	2	22.40	23.60	2
02195	21.05	1.77	1.25	21	19.80	2230	2
02196	20.90	2,77	1.38	41	18.60	24.90	0
no addition	20.50	2.11	1,50				

......


Figure 1B

PBMCs were incubated for 2 days with 0.30 ug/mL of the indicated oligos. Graph is CD86 (MFI) of CD19+ cells.



Deskriptive Statistikan  Statistikan  Statistikan  Statistikan  Statistikan  Minimum Maximum #fehlend											
	Mittelw.	Std.abw.	Std.fehler	Anzahl	Minimum	Maximum 58.10	2				
o1758	57.60	.71	.50	2	57.10		2				
01812	20.70	.57	.40	2	20.30	21.10					
e500E	26:32	.35	.25	2	S6.10	56.60	2				
o2117	40.00	1,13	.80	2	39.20	40.80	2				
2137م	47.60	3.39	2.40	2	45.20	50.00	2				
ó2178	21.00	.99	.70	2	20.30	21.70					
02182	37.75	,35	.25	2	37,50	38.00	2				
o2183	35.30	1.84	1.30	2	34.00	36.60					
02177	25.00	.71	.50	2	24.50	25.50	_ 2				
o2143	34.70	.71	.50	2	34.20	35,20	2				
02116	24.35	.64	.45	5	23.90	24.80	2				
02181	44.25	3.18	2.25	2	42.00	46,50	2				
02180	45,90	5.94	4.20	2	41,70	50.10	2				
c2179	50.70	6.93	4.90	2	45.80	\$5.60	2				
o2133	53.75	4.31	3.05	2	50.70	56.80	2				
o1965	56.20	3.82	2.70	2	53.50	58.90	2				
01968	49.35	1.91	1.35	2	48.00	50.70	2				
o2159	46.80	7.92	5.60	2	41.20	52.40	2				
c2140	53,25	4.74	3,35	2	49.90	56.60	2				
02141	47.40	4.10	2.90	2	44.50	50.30	2				
02142	23.20	.42	.30	2	22.90	23.50	2				
01840	33.50	1.13	.80	2	32.70	34.30	2				
01979	59.50	1,70	1.20	2	58.30	60.70	2				
02186	36.90	.14	.10	2	36.80	37.00	2				
02187	27.15	.78	.55	2	26,60	27.70	2				
o2188	22.25	.21	.15	2	22.10	22.40	2				
02189	21.45	. 1.20	.85	2	20.60	22.30	2				
o2190	22,95	1.20	.85	2	22.10	23.80	2				
02191	28,35	.49:	.35	2	28,00	28.70	2				
02192	20.40	1.70`	1.20	2	19.20	21.60	z				
02193	19.70	.57.	.40	2	19.30	20.10	2				
02194	34.00	1.70	1.20	5	32.80	35.20	2				
02195	27.30	1.27	.90	2	26.40	28.20	5				
02196	22.45	2.76	1.95	Ż	20.50	24.40	2				
no addition	20.90	2.77	1.38	4	18.60	24.90	0				

Proliferation of B cells



nymesiay aspend

% Proliferation
5 7 7 8 8 roliferation of B Cells

figure 3

2189

Concentration, ug/ml




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12